

Application No. 09/941,151
Amendment dated December 2, 2003
Reply to Office Action of June 2, 2003

Listing of Claims

Claims 1-48 (canceled)

49.(currently amended) A method of providing a custom orthodontic appliance for repositioning teeth of a patient comprising:

- communicating, from an orthodontic practitioner, three-dimensional information from the mouth of a patient of the shapes of the teeth of the patient;
- displaying, on a computer display for inspection by a person viewing the display, images of the teeth of the patient in suggested tooth positions and orientations that are based on the three-dimensional information;
- communicating, from ~~[[the]]~~ a person viewing the ~~display-feedback display, feedback~~ information regarding the suggested tooth positions and orientations toward which the teeth of the patient are to be moved by orthodontic treatment;
- providing a custom design of an orthodontic appliance that is configured to urge the teeth of the patient, when installed thereon, toward tooth positions and orientations and that has been manufactured based on the suggested tooth positions and orientations in accordance with the feedback information.

50.(currently amended) The method of claim 49 wherein:

- the person viewing the display is ~~[[the]]~~ an orthodontic practitioner; and
- the feedback information includes information selected from the group consisting essentially of information of changes to the suggested tooth positions or orientations and information approving tooth positions and orientations toward which the teeth of the patient are to be moved by the appliance.

51.(currently amended) The method of claim 50 further comprising:

- providing the ~~orthodontic practitioner~~ person viewing the display with a computer interface device and displaying the images thereon;

Application No. 09/941,151
Amendment dated December 2, 2003
Reply to Office Action of June 2, 2003

providing the computer interface with a capability for the entry by ~~the orthodontic practitioner~~ the person viewing the display of the feedback information.

52.(currently amended) The method of claim 49 ~~wherein 50~~ further comprising:
the feedback information includes information of changes to the suggested tooth positions or orientations;
~~if change data is entered; the method further comprises redisplaying[[],]~~ images of the teeth in ~~revised~~ tooth positions and orientations revised in accordance with the feedback information for inspection by the ~~orthodontic practitioner~~ person viewing the display.

53.(currently amended) The method of claim 49 wherein:
the ~~three-dimensional~~ three-dimensional information is derived at least in part from an impression of the teeth of the patient from the orthodontic practitioner; and
the displaying of the images of the teeth of the patient is in response to data digitized from a model of the teeth made from the impression.

54.(currently amended) The method of claim 49 further comprising:
communicating the ~~three-dimensional~~ three-dimensional information to a remote computing facility for the derivation of the suggested tooth positions and orientations from the ~~three-dimensional~~ three-dimensional information; and
~~receiving from the remote computing facility~~ displaying digital images of the teeth of the patient in the suggested tooth positions and orientations ~~for the displaying thereof~~ on the computer display.

55.(currently amended) The method of claim 49 further comprising:
communicating the ~~three-dimensional~~ three-dimensional information to a remote computing facility for the derivation ~~therefrom~~ of the suggested tooth positions and orientations from the ~~three-dimensional~~ three-dimensional information; and

Application No. 09/941,151
Amendment dated December 2, 2003
Reply to Office Action of June 2, 2003

~~receiving from the remote computing facility~~ displaying digital images of the teeth of the patient in the suggested tooth positions and orientations ~~for the displaying thereof~~ on the computer display;

communicating, to ~~an a~~ remote orthodontic appliance manufacturing facility having equipment thereat for manufacturing the custom orthodontic appliance, data that includes three-dimensional information of the shapes of the teeth of the patient and information regarding tooth positions and orientations toward which the teeth of the patient are to be moved by orthodontic treatment; and

receiving from the remote orthodontic appliance manufacturing facility the custom orthodontic appliance for providing the appliance to the orthodontic practitioner for the treatment of the patient.

56.(previously presented) The method of claim 49 further comprising:
communicating, to a remote orthodontic appliance manufacturing facility having equipment thereat for manufacturing the custom orthodontic appliance, data that includes three-dimensional information of the shapes of the teeth of the patient and information regarding tooth positions and orientations toward which the teeth of the patient are to be moved by orthodontic treatment; and
receiving from the remote orthodontic appliance manufacturing facility the custom orthodontic appliance for providing the appliance to the orthodontic practitioner for the treatment of the patient.

57.(currently amended) The method of claim 49 wherein:
the feedback information includes information selected from the group consisting essentially of information of changes to the suggested tooth positions or orientations and information approving tooth positions and orientations toward which the teeth of the patient are to be moved by the appliance;
the method further comprises:

Application No. 09/941,151
Amendment dated December 2, 2003
Reply to Office Action of June 2, 2003

providing the person viewing the display with a capability for entering feedback information in the form of change data from ~~[[the]]~~ an orthodontic practitioner into a computer indicating selected changes in the suggested tooth positions and orientations;
~~if change data is entered,~~ displaying on the computer images of the teeth in revised tooth positions and orientations in response to the feedback information.

58.(currently amended) The method of claim 57 further comprising:
establishing a digital communications link between ~~[[the]]~~ a computer display terminal and a digital computer at a remote location;
transferring the three-dimensional information in digital form to the remote location;
deriving with the digital computer at the remote location the suggested tooth positions and orientations;
communicating digital data of the suggested tooth positions and orientations from the remote location to the computer display ~~over the digital communications link~~;
communicating ~~[[the]]~~ change data from the computer display to the computer at the remote location ~~over the digital communications link~~;
~~[[re]]~~calculating the revised tooth positions and orientations with the digital computer at the remote location in response to the change data;
communicating digital data of the revised tooth positions and orientations from the remote location to the computer display ~~over the digital communications link~~.

59.(currently amended) The method of claim ~~[[57]]~~ 58 further comprising:
entering commands accepting tooth positions and orientations at the computer display;
communicating entered commands accepting tooth positions and orientations to the remote location ~~over the digital communications link~~; and
processing ~~[[of]]~~ the data of the accepted revised tooth positions and orientations and of the three-dimensional information and ~~[[the]]~~ designing of the custom orthodontic appliance with the digital computer at the remote location.

Application No. 09/941,151
Amendment dated December 2, 2003
Reply to Office Action of June 2, 2003

60.(currently amended) The method of claim 59 further comprising:
transmitting data of the ~~design of the~~ designed custom orthodontic appliance from the
remote location ~~over the digital communications link~~;
displaying images of the designed custom orthodontic appliance on the computer display
in response to the transmitted data;
transmitting appliance modification data to the computer at the remote location and
redesigning the appliance with the digital computer at the remote location in
response to the transmitted appliance modification data.

61.(previously presented) The method of claim 49 wherein:
the custom orthodontic appliance includes positioning jigs having surfaces thereon
that conform to the shapes of the teeth of the patient.

62.(previously presented) The method of claim 49 wherein:
the custom orthodontic appliance includes positioning jigs having surfaces thereon
that conform to the shapes of the teeth of the patient; and
the method further comprises:
locating the jig on the patient with said surface conforming to the shape of
the one or more teeth;
positioning the appliance on the one or more teeth with the jig, and
bonding the appliance so positioned to the tooth.

63.(previously presented) A system for manufacturing an orthodontic appliance
comprising means, including a programmed computer, for performing the method of claim 49.

Claims 64-83 (canceled)

Application No. 09/941,151
Amendment dated December 2, 2003
Reply to Office Action of June 2, 2003

84.(New) The method of claim 52 wherein:

the feedback information includes information from an orthodontic practitioner approving the revised tooth positions and orientations as those toward which the teeth of the patient are to be moved by the appliance.

85.(New) The method of claim 49 further comprising:

displaying the custom design of the orthodontic appliance on a computer display and accepting additional feedback information from a person viewing the display on which the custom design is displayed regarding the custom design.

86.(New) The method of claim 85 wherein:

the person viewing the display on which the custom design is displayed is an orthodontic practitioner; and

the additional feedback information includes information selected from the group consisting essentially of information of changes to the displayed custom design and information approving the custom appliance design.

87.(New) The method of claim 86 further comprising:

providing the person viewing the display on which the custom design is displayed with a computer interface and displaying the custom design thereon;
providing the computer interface with a capability for the entry by the person viewing the display on which the custom design is displayed of the additional feedback information.

88.(New) The method of claim 85 wherein:

the additional feedback information includes information of changes to the custom design; and

the method further comprises redisplaying the custom appliance design revised in accordance with the additional feedback information for inspection by the person viewing the display on which the custom design is displayed.

Application No. 09/941,151
Amendment dated December 2, 2003
Reply to Office Action of June 2, 2003

89.(New) The method of claim 85 wherein:

the additional feedback information includes information selected from the group consisting essentially of information of changes to the custom design and information approving the custom design; and

the method further comprises:

providing the person viewing the display on which the custom design is displayed with a capability for entering additional feedback information in the form of change data from an orthodontic practitioner into a computer indicating selected changes in the custom design, and
displaying on the computer images of the custom design revised in response to the additional feedback information.

90.(New) The method of claim 49 further comprising:

providing a custom orthodontic appliance that is configured to urge the teeth of the patient, when installed thereon, toward tooth positions and orientations and that have been manufactured based on the suggested tooth positions and orientations in accordance with the feedback information.

91.(New) A system for manufacturing an orthodontic appliance, including a programmed computer, and comprising:

a computer display;

a computer programmed to receive three-dimensional information from the mouth of a patient of the shapes of the teeth of the patient and to display on the computer display, images of the teeth of the patient in suggested tooth positions and orientations that are based on the three-dimensional information;

the computer being programmed to receive, from a person viewing the display, feedback information; and

the system being further programmed to determine the design of a custom orthodontic appliance configured to move the teeth of the patient to tooth positions and orientations in response to the feedback information.

Application No. 09/941,151
Amendment dated December 2, 2003
Reply to Office Action of June 2, 2003

92.(New) The system of claim 91 further comprising:
appliance manufacturing equipment configured to provide a custom orthodontic appliance
having the custom appliance design.

93.(New) The system of claim 91 wherein:
the computer is programmed to receive feedback information that includes
information selected from the group consisting essentially of information of changes to the
suggested tooth positions or orientations and information approving tooth positions and
orientations toward which the teeth of the patient are to be moved by the appliance.

94.(New) The system of claim 93 further comprising:
a computer interface configured to display the images thereon; and
the computer interface having the capability for the entry of the feedback information.

95.(New) The system of claim 91 wherein:
the computer is programmed to receive feedback information that includes information of
changes to the suggested tooth positions or orientations;
the computer is programmed to redisplay images of the teeth in tooth positions and
orientations revised in accordance with the feedback information.

96.(New) The system of claim 91 wherein:
the computer is programmed to receive feedback information that includes information of
changes to the design of the appliance;
the computer is programmed to redisplay images of the teeth in tooth positions and
orientations revised in accordance with the changes in the design of the appliance.

97.(New) The system of claim 91 wherein:
the computer is programmed to display a graphical user interface on the computer display
through which to receive, from a person viewing the display, the feedback
information that includes information of changes to the design of the appliance.

Application No. 09/941,151
Amendment dated December 2, 2003
Reply to Office Action of June 2, 2003

98.(New) A system for manufacturing an orthodontic appliance, including a programmed computer, and comprising:

a computer display;

a computer programmed to receive three-dimensional information from the mouth of a patient of the shapes of the teeth of the patient and to display on the computer display, images of the teeth of the patient in suggested tooth positions and orientations that are based on the three-dimensional information;

the computer being programmed to receive, from a person viewing the display, feedback information regarding the suggested tooth positions and orientations toward which the teeth of the patient are to be moved by orthodontic treatment; and

the system being further programmed to display on the computer display, images of the teeth of the patient in suggested tooth positions and orientations that are based on the feedback information.

99.(New) The system of claim 98 wherein:

the computer is programmed to display a graphical user interface on the computer display through which to receive, from a person viewing the display, the feedback information.

100.(New) The system of claim 99 wherein:

the graphical user interface includes controls for enabling a person viewing the display to move one or more of the images of the teeth from the suggested positions and orientations.

101.(New) The system of claim 99 wherein:

the graphical user interface includes controls for enabling a person viewing the display to:
select a tooth for which its position or orientation among the suggested tooth positions and orientations is to be changed;
select a tooth position or orientation parameter to be changed for a selected tooth;
change a selected tooth position or orientation parameter for a selected tooth; and

Application No. 09/941,151
Amendment dated December 2, 2003
Reply to Office Action of June 2, 2003

cause the redisplay of images of the teeth of the patient in tooth positions and orientations that include a changed selected tooth position or orientation of a selected tooth.

102.(New) The system of claim 101 wherein the controls for enabling a person viewing the display to select a tooth for which its position or orientation among the suggested tooth positions and orientations is to be changed includes:

a screen area associated with a particular tooth that is responsive to a selection by a pointing device.

103.(New) The system of claim 101 wherein the controls for enabling a person viewing the display to select a tooth for which its position or orientation among the suggested tooth positions and orientations is to be changed includes:

a plurality of screen areas, each associated with a different tooth and each responsive to a selection by pointing thereto to select the tooth.

104.(New) The system of claim 101 wherein the controls for enabling a person viewing the display to select a tooth position or orientation parameter to be changed includes:

a plurality of controls, one associated with each of the tooth angles of torque, tip and rotation, for respectively selecting torque, tip and rotation angles of the tooth for change.

105.(New) The system of claim 99 wherein the graphical user interface includes: controls enabling a person viewing the display to select a tooth for which its position or orientation among the suggested tooth positions and orientations is to be changed that includes a screen area associated with a particular tooth that is responsive to a selection by pointing thereto.

Application No. 09/941,151
Amendment dated December 2, 2003
Reply to Office Action of June 2, 2003

106.(New) The system of claim 99 wherein the graphical user interface includes: controls enabling a person viewing the display to select a tooth for which its position or orientation among the suggested tooth positions and orientations is to be changed that includes a plurality of screen areas, each associated with a different tooth and each responsive to a selection by pointing thereto to select the tooth.

107.(New) The system of claim 99 wherein the graphical user interface includes: controls enabling a person viewing the display to select a tooth position or orientation parameter to be changed that includes a plurality of controls, one associated with each of the tooth angles of torque, tip and rotation, for respectively selecting torque, tip and rotation angles of the tooth for change.

108.(New) The system of claim 99 wherein the graphical user interface includes: a control enabling a person viewing the display to select a direction in which the tooth is to be translated.

109.(New) The system of claim 99 wherein the graphical user interface includes: a control enabling a person viewing the display to select a direction in which the tooth is to be translated for adjusting tooth height.

110.(New) The system of claim 99 wherein the graphical user interface includes: a moveable control enabling a person viewing the display, in relation to the movement thereof, to move a tooth.